Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	external near2 (table\$1 or database\$1) with (keyword\$1 and field\$1) and (map\$6 or relation\$5) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/18 14:18
L2	5	external near2 (table\$1 or database\$1) same keyword\$1 same field\$1 and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/18 14:09
L3	23	external same (table\$1 or database\$1) same keyword\$1 same field\$1 and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/18 14:18
L4	12	external same (table\$1 or database\$1) with (keyword\$1 and field\$1) and (map\$6 or relation\$5) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/18 14:15
L5	12	external same (table\$1 or database\$1) with (keyword\$1 and field\$1) and (map\$6 or relation\$5 or link\$3) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/18 14:15
L6	. 3	external near2 (table\$1 or database\$1 or file\$1) with (keyword\$1 and field\$1) and (map\$6 or relation\$5) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/18 14:18
L7	27	external same (table\$1 or database\$1 or file\$1) same keyword\$1 same field\$1 and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/18 14:19
L8	30	external same (table\$1 or database\$1 or file\$1 or stor\$5) same keyword\$1 same field\$1 and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/18 14:45
L10	117	external same (table\$1 or database\$1 or file\$1 or stor\$5) with (map\$6 or relation\$5 or link\$3) and keyword\$1 same field\$1 and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/18 14:46

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
1.1	3	external near2 (table\$1 or database\$1) with (keyword\$1 and field\$1) and (map\$6 or relation\$5) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/18 14:18
L2	5	external near2 (table\$1 or database\$1) same keyword\$1 same field\$1 and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/18 14:09
L3	23	external same (table\$1 or database\$1) same keyword\$1 same field\$1 and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/18 14:18
L4	12	external same (table\$1 or database\$1) with (keyword\$1 and field\$1) and (map\$6 or relation\$5) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/18 14:15
L5	12	external same (table\$1 or database\$1) with (keyword\$1 and field\$1) and (map\$6 or relation\$5 or link\$3) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/18 14:15
L6	3	external near2 (table\$1 or database\$1 or file\$1) with (keyword\$1 and field\$1) and (map\$6 or relation\$5) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	ON	2004/11/18 14:18
L7	27	external same (table\$1 or database\$1 or file\$1) same keyword\$1 same field\$1 and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	ÖR	ON	2004/11/18 14:19
L8	30	external same (table\$1 or database\$1 or file\$1 or stor\$5) same keyword\$1 same field\$1 and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/18 14:45
L10	117	external same (table\$1 or database\$1 or file\$1 or stor\$5) with (map\$6 or relation\$5 or link\$3) and keyword\$1 same field\$1 and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/18 14:46
S1	0	("5899986".pn. "5864841".pn. "5761653".pn. "5664171".pn. "5020019".pn.) and "table difinition"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/05/03 15:59
S2	Ö	("5899986".pn. "5864841".pn. "5761653".pn. "5664171".pn. "5020019".pn.) and table and difinition	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/05/02 20:19

S3	. 0	("5899986".pn. "5864841".pn. "5761653".pn. "5664171".pn. "5020019".pn.) and difinition\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/05/02 20:19
S4	5	("5899986".pn. "5864841".pn. "5761653".pn. "5664171".pn. "5020019".pn.) and table	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/05/02 20:20
S5	. 0	("5899986".pn. "5864841".pn. "5761653".pn. "5664171".pn. "5020019".pn.) and (identification or ID) and (keyword or "key word") and value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/05/02 20:21
S6	10	"5899986".pn. "5864841".pn. "5761653".pn. "5664171".pn. "5020019".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/05/02 20:22
S7	0	"table definition" NEAR10 (identification\$1 OR ID\$1) SAME (keyword\$1 OR "key word") same ("keyword value" OR "key word" NEAR2 value!) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/17 17:48
S8	0	"table definition" NEAR10 (identification\$1 OR ID\$1) AND (keyword\$1 OR "key word") AND ("keyword value" OR "key word" NEAR2 value!) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/05/03 16:42
S9	0	"table definition" NEAR10 (identification\$1 OR ID\$1) AND "composit key" and cardility! and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/05/03 16:07
S10	6	("table definition" and @ad<"20010412") and "composite key"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/05/03 16:09
S11	10	("5063501" "5321610" "5339424" "5353401" "5369778" "5392390" "5396613" "5404294" "5404488" "5414809").PN.	USPAT	OR	ON	2003/05/03 16:23
S12	2	("5721827" "5813007").PN.	USPAT	OR	ON	2003/05/03 16:25
S13	9	("4379948" "4530076" "4817158" "4829427" "5018088" "5091967" "5105469" "5345585" "5379419").PN.	USPAT	OR	ON	2003/05/03 16:35
S14	1	"5598559".PN.	USPAT	OR	ON	2003/05/03 16:39

S15	9	("4769772" "5325525" "5345585" "5367675" "5469568" "5544355" "5598559" "5608904" "5615361").PN.	USPAT	OR	ON	2003/05/03 16:39
S16	3970	"table definition"and (identification\$1 OR ID\$1) AND (keyword\$1 OR "key word") AND ("keyword value" OR "key word" NEAR2 value! OR value\$2) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/17 16:24
S17	80	"table definition" and (identification\$1 OR ID\$1) AND (keyword\$1 OR "key word") AND ("keyword value" OR "key word" NEAR2 value! OR value\$2) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/17 16:26
S18	9	("4330822" "4769772" "4829427" "5091852" "5257366" "5276870" "5301317" "5367675" "5379419").PN.	USPAT	OR	ON	2003/05/03 16:55
S19	16	("5335346" "5426747" "5448727" "5560005" "5615367" "5680563" "5724575" "5752018" "5765159" "5809297" "5815710" "5832498" "5907846" "5926819" "5937409" "5995973").PN.	USPAT	OR	ON	2003/05/03 17:01
S20	8	("4905162" "5057996" "5117351" "5129083" "5509123" "5511197" "5522077" "5619638") PN.	USPAT	ÖR	ON	2003/05/03 17:22
S21	255	"table definition" and architectur\$3 and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	ON	2003/05/03 17:41
S22	3	"table definition" and architectur\$3 and "composite key" and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/05/03 17:56
S23	0	receiv\$3 NEAR5 table SAME (identification ADJ2 field or ID) SAME (("key word" OR keyword) NEAR5 value\$2) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/05/03 18:02
S24	86	receiv\$3 NEAR10 table AND (identification ADJ2 field or ID) AND (("key word" OR keyword) NEAR10 value\$2) AND @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/05/03 18:15

S25	7	(receiv\$3 NEAR10 table AND	US-PGPUB;	OR	ON	2003/05/03 18:13
		(identification ADJ2 field or ID)	USPAT;	J. C.	0.,	2003,03,03 20:23
		AND (("key word" OR keyword) NEAR10 value\$2) AND	EPO; JPO; DERWENT			
		@ad<"20010412") and "first keyword"				
S26	1	(receiv\$3 NEAR2 table AND	US-PGPUB;	OR	ON	2003/05/03 18:13
		(identification ADJ2 field or ID) AND (("key word" OR keyword)	USPAT; EPO; JPO;			
		NEAR2 value\$2) AND	DERWENT			
		@ad<"20010412") and "first keyword"				
S27	6	receiv\$3 NEAR2 table AND (identification ADJ2 field or ID)	US-PGPUB; USPAT;	OR	ON	2003/05/03 18:13
		AND (("key word" OR keyword)	EPO; JPO;			
		NEAR2 value\$2) AND @ad<"20010412"	DERWENT			
S28	1	receiv\$3 NEAR10 table AND (identification or ID) WITH	US-PGPUB; USPAT;	OR	ON	2003/05/03 18:17
		"multiple value" AND	EPO; JPO;			
S29	1	@ad<"20010412" receiv\$3 NEAR2 table AND	US-PGPUB;	OR	ON	2003/05/03 18:17
329		(identification or ID) WITH	USPAT;	OK	OIV	2003/03/03 10.17
		"multiple value" AND @ad<"20010412"	EPO; JPO; DERWENT			
S30	11	("5204958" "5440732"	USPAT	OR	ON	2003/05/03 18:21
		"5551027" "5899988" "5960194" "5991771"				
		"6014656" "6026406" "6092061" "6249784"				
		"6278992").PN.				
S31	35	"table definition" same field\$2 same value\$2 and	US-PGPUB; USPAT;	OR	ON	2003/05/04 19:15
		@ad<"20010412"	EPO; JPO; DERWENT			
S32	2	"table definition" same field\$2 and	US-PGPUB;	OR	ON	2003/05/04 19:10
		"first values" and "second value" and @ad<"20010412"	USPAT; EPO; JPO;			
633		(UCOFFF20U L US1440C1U L	DERWENT	On	ON	3003/05/04 10:10
S33	3	("6055538" "6144961" "6252858").PN.	USPAT	OR	ON	2003/05/04 19:19
S34	0	"6446074".URPN.	USPAT	OR	ON	2003/05/04 19:21
S35	10	("5133068" "5745896" "5752018" "5758144"	USPAT	OR	ON	2003/05/04 19:23
		"5873079" "5889934" "5960430" "6026410"				
		"6032132" "6128294").PN.				
S36	7	("5499359" "5553218" "5561793" "5566330"	USPAT	OR	ON	2003/05/04 19:33
		"5603025" "5615367"				
		"5619688").PN.				

S37	0	"table definition" SAME (identification or ID) SAME (("key word" OR keyword) NEAR5 value\$2) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/05/06 14:55
S38	14	"table definition" and (identification or ID) and (("key word" OR keyword) NEAR5 value\$2) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/05/06 15:18
S39	4	("3585605" "3955180" "4370709" "4727480").PN.	USPAT	OR	ON	2003/05/06 15:10
S40	82	(identification or ID) SAME (("key word" OR keyword) NEAR5 value\$2) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/21 20:41
S41	64	Table SAME (identification or ID) SAME (("key word" OR keyword) SAME value\$2) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/05/06 15:26
S42	24	Table SAME (identification or ID) SAME (("key word" OR keyword) NEAR5 value\$2) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/05/06 17:08
S43	13	("4719571" "4760606" "4958284" "5168533" "5201047" "5355497" "5367672" "5428727" "5463773" "5508912" "5519865" "5581752" "5590317").PN.	USPAT	OR	ON	2003/05/06 15:35
S44	17	(database! OR database\$2) SAME (identification or ID) SAME (("key word" OR keyword) NEAR5 value\$2) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/05/06 15:40
S45	0	defintion same table SAME (identification or ID) and (("key word" OR keyword) NEAR5 value\$2) and ("first row" or "first tuple") and ("second row" or "second tuple") and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/05/06 17:15
S46	0	defintion and table SAME (identification or ID) and (("key word" OR keyword) NEAR5 value\$2) and ("first row" or "first tuple") and ("second row" or "second tuple") and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/05/06 17:15

			, 			
S47	0	defintion and table SAME (identification or ID) and (("key word" OR keyword) same value\$2) and ("first row" or "first tuple") and ("second row" or "second tuple") and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/05/06 17:15
S48	1	table SAME (identification or ID) and (("key word" OR keyword) NEAR5 value\$2) and ("first row" or "first tuple") and ("second row" or "second tuple") and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/05/06 17:17
S49	22	Table SAME (identification or ID) and (("key word" OR keyword) and value\$2) and ("first row" or "first tuple") and ("second row" or "second tuple") and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/05/06 17:20
S50	11	("5481703" "5627979" "5832496" "5870746" "5918232" "6026398" "6061515" "6076091" "6243713" "6138121" "6263335").PN.	USPAT	OR	ON	2003/05/06 17:30
S51	14	("5295256" "5305389" "5359724" "5375237" "5421012" "5459860" "5499180" "5537591" "5537633" "5553218" "5557787" "5560005" "5564046" "5729730").PN.	USPAT	OR	ON	2003/05/06 17:58
S52	5	("5093911" "5136716" "5317742" "5408619" "5426747").PN.	USPAT	OR	ON	2003/05/07 17:53
S53	87	(identification or ID) SAME (("key word" OR keyword) NEAR5 value\$2) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/13 20:20
S54	0	((identification or ID) SAME (("key word" OR keyword) NEAR5 value\$2) and @ad<"20010412") and insert\$ adj2 "first value"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/13 19:00
S55	0	(table SAME (("key word" OR keyword) NEAR5 value\$2) and @ad<"20010412") and insert\$ adj2 "first value"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/13 19:23
S56	0	(table SAME (("key word" OR keyword) NEAR5 value\$2) and @ad<"20010412") and insert\$ same "first value"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/13 19:00

S57	1	(table SAME (("key word" OR keyword) NEAR5 value\$2) and @ad<"20010412") and insert\$ adj2 value\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/13 19:01
S58	6	(table SAME (("key word" OR keyword) NEAR5 value\$2) and @ad<"20010412") and "first value"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/13 22:12
S59	6	((table SAME (("key word" OR keyword) NEAR5 value\$2) and @ad<"20010412") and "first value") and "first value"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/14 10:38
S60	1	((table SAME (("key word" OR keyword) NEAR5 value\$2) and @ad<"20010412") and "first value") and "first value" and insert\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/13 19:03
S61	1	(table SAME (("key word" OR keyword) NEAR5 value\$2) and @ad<"20010412") and insert\$ and "first value"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/13 19:24
S62	173	table SAME (("key word" OR keyword) NEAR5 value\$2) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/13 19:24
S63	13	(table SAME (("key word" OR keyword) NEAR5 value\$2) and @ad<"20010412") and schema	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/13 19:40
S64	37	((identification or ID) SAME (("key word" OR keyword) NEAR5 value\$2) and @ad<"20010412") and insert\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/13 19:58
S65	6	(((identification or ID) SAME (("key word" OR keyword) NEAR5 value\$2) and @ad<"20010412") and insert\$3) and schema	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/13 19:59
S66	56	table and schema and (identification or ID) and (("key word" OR keyword) NEAR5 value\$2) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/17 16:44
S67	1	"table definition" and schema and (identification or ID) and (("key word" OR keyword) and (Keyword or "key word") adj2 value\$2) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/13 21:39
S68	67	table same (identification or ID) same ("key word" OR keyword) same value\$2 and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/13 21:48

S69	14	(table same (identification or ID) same ("key word" OR keyword) same value\$2 and @ad<"20010412") and schema	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/21 19:06
S70	0	((table SAME (("key word" OR keyword) NEAR5 value\$2) and @ad<"20010412") and "first value") and schema	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/13 22:13
S71	0	"cpmposit key" and schema and (table SAME ("key word" OR keyword) same value\$2) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/14 10:39
S72	0	"composit key" and schema and (table SAME ("key word" OR keyword) same value\$2) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/14 10:41
S73	0	"composit key" and schema and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/14 10:40
S74	0	"composite key" and schema and (table SAME ("key word" OR keyword) same value\$2) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/14 10:41
S75	13	"composite key" and schema and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/14 10:51
S76	0	("table schema" and @ad<"20010412") and "composite key"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/14 10:52
S77	8	"composite key" and table near5 schema and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/14 10:52
S78	157	"table schema" and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/21 19:05
S79	157	"table schema" and schema and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/14 10:58
S80	105	"table schema" and row\$1 and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/14 11:25

S81	20	"table schema" and first adj2 row\$1 and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/14 11:47
S82	.0	("table schema" and first adj2 row\$1 and @ad<"20010412") and keyword	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/14 11:47
S83	1	("table definition" or "table schema") same (identification\$1 OR ID\$1) same (keyword\$1 OR "key word") same ("keyword value" OR "key word" NEAR2 value! OR value\$2) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/21 20:24
S84	107	("table definition" or "table schema") and (identification\$1 OR ID\$1) AND (keyword\$1 OR "key word") AND ("keyword value" OR "key word" NEAR2 value! OR value\$2) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/21 20:22
S85	. 3	("table definition" or "table schema") and (identification\$1 OR ID\$1) AND (keyword\$1 OR "key word") AND ("keyword value" OR "key word" NEAR2 (value! OR value\$2)) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/21 18:52
S86	3	("table definition" or "table schema") and (identification\$1 OR ID\$1) AND (keyword\$1 OR "key word") AND ("keyword value" OR "key word" NEAR2 (value! OR value\$2)) and value\$1 and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/21 18:53
S87	1	(("table definition" or "table schema") and (identification\$1 OR ID\$1) AND (keyword\$1 OR "key word") AND ("keyword value" OR "key word" NEAR2 (value! OR value\$2)) and value\$1 and @ad<"20010412") and first adj2 value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/21 18:59
S88	1	(("table definition" or "table schema") and (identification\$1 OR ID\$1) AND (keyword\$1 OR "key word") AND ("keyword value" OR "key word" NEAR2 (value! OR value\$2)) and value\$1 and @ad<"20010412") and first adj2 value\$1 and identi\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/21 19:51

S89	164	"table schema" and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/21 20:34
S90	15	(table same (identification or ID) same ("key word" OR keyword) same value\$2 and @ad<"20010412") and schema	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/21 19:47
S91	0	table same identification same (("key word" OR keyword) adj1 field) same (("key word" OR keyword) adj1 value) and @ad<"20010412" and schema	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/21 19:50
-S92	0	table same identification same (("key word" OR keyword) adj5 field) same (("key word" OR keyword) adj5 value) and @ad<"20010412" and schema	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/21 19:51
S93	0	table same (("key word" OR keyword) adj5 field) same (("key word" OR keyword) adj5 value) and @ad<"20010412" and schema	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/21 20:35
S94	36	table same identification same (("key word" OR keyword) adj5 field) same (("key word" OR keyword) adj5 value) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/21 19:51
S95	8	(table same identification same (("key word" OR keyword) adj5 field) same (("key word" OR keyword) adj5 value) and @ad<"20010412") and first adj2 value\$1 and identi\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/21 19:52
S96	j	("table definition" or "table schema") and JES and (identification\$1 OR ID\$1) same (keyword\$1 OR "key word") same ("keyword value" OR "key word" NEAR2 value! OR value\$2) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/21 20:18
S97	0	"NCR".ASCI.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/21 20:23
S98	24	table same (identification or ID) SAME (("key word" OR keyword) NEAR5 value\$2) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/21 20:45

			T	r	Γ	
S99	0	(table same (identification or ID) SAME (("key word" OR keyword) NEAR5 value\$2) and @ad<"20010412") and first adj (identification or ID) and second	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/21 20:45
S10 0	0	"table definition"and (identification\$1 OR ID\$1) AND (keyword\$1 OR "key word") AND ("keyword value" OR "key word" NEAR2 value! OR value\$2) and @ad<"20010412" and "external table"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/17 16:25
S10 1	0	(keyword\$1 OR "key word") AND ("keyword value" OR "key word" NEAR2 value! OR value\$2) and "external table" and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/17 16:27
S10 2	161	"external table" and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/18 13:51
S10 3	7	S102 and field\$1 and keyword\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/17 16:27
\$10 4	3	table and schema and (identification or ID) and (("key word" OR keyword) NEAR5 value\$2) same (field\$1 near2 name\$1) and client\$1 and server\$1 and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/17 16:53
S10 5	0	table and schema and (identification or ID) and (("key word" OR keyword) NEAR5 value\$2) same (field\$1 near2 name\$1) same client\$1 same server\$1 and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/17 16:54
S10 6	0	(("key word" OR keyword) NEAR5 value\$2) same (field\$1 near2 name\$1) same client\$1 same server\$1 and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/17 16:54
S10 7	3	(("key word" OR keyword) NEAR5 value\$2) and (field\$1 near2 name\$1) same client\$1 same server\$1 and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/17 16:55
S10 8	48	(keyword\$1 OR "key word") same ("keyword value" OR "key word" NEAR2 value!) and field\$1 and (synchroniz\$6 or migrat\$6) and @ad<"20010412"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/17 17:50